

75288

STIC-Biotech/ChemLib

From: Portner, Ginny  
Sent: Tuesday, September 10, 2002 1:09 PM  
T : STIC-Biotech/ChemLib  
Subject: 09/611,419

Please search SEQ ID NOs 1,3 and 5.

*Ginny Portner*  
CM1, Art Unit 1645  
Room 7e13  
Mail box 7e12  
(703) 308-7543

Edward Hart  
Technical Info. Specialist  
STIC/Biotech  
CMI 6B02 Tel: 305-9203

Searcher: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Location: \_\_\_\_\_  
Date Picked Up: 9/16/02  
Date Completed: 9/18/02  
Searcher Prep/Review: \_\_\_\_\_  
Clerical: \_\_\_\_\_  
Online time: \_\_\_\_\_

TYPE OF SEARCH:  
NA Sequences: 3  
AA Sequences: \_\_\_\_\_  
Structures: \_\_\_\_\_  
Bibliographic: \_\_\_\_\_  
Litigation: \_\_\_\_\_  
Full text: \_\_\_\_\_  
Patent Family: \_\_\_\_\_  
Other: \_\_\_\_\_

VENDOR/COST (where applic.)  
STN: \_\_\_\_\_  
DIALOG: \_\_\_\_\_  
Questel/Orbit: \_\_\_\_\_  
DRLink: \_\_\_\_\_  
Lexis/Nexis: \_\_\_\_\_  
Sequence Sys.: 03  
WWW/Internet: \_\_\_\_\_  
Other (specify): \_\_\_\_\_

Pending Nucleic Acid and/or Pending Amino Acid database searches now generate two sets of results. These databases were split into two parts to reduce the time needed to update the databases daily. The split freed up more machine time for processing searches.

Searches run against the Nucleic Acid Pending database produce two sets of results, with the extensions, **.rnpm** and **.rnpn**

Searches run against the Amino Acid Pending database produce two sets of results, with the extensions, **.rapm** and **.rapn**

*The Pending database search results should not be left in the case because they contain data that is confidential.*

<a href="#">ExPASy Home page</a>	<a href="#">Site Map</a>	<a href="#">Search ExPASy</a>	<a href="#">Contact us</a>	<a href="#">SWISS-PROT</a>
<a href="#">Hosted by NCSC US</a> <a href="#">Mirror sites:</a> <a href="#">Canada</a> <a href="#">China</a> <a href="#">Korea</a> <a href="#">Switzerland</a> <a href="#">Taiwan</a>				

# NiceProt View of SWISS-PROT: P10845

[Printer-friendly view](#)
[Quick BlastP search](#)

[\[General\]](#)
[\[Name and origin\]](#)
[\[References\]](#)
[\[Comments\]](#)
[\[Cross-references\]](#)
[\[Keywords\]](#)
[\[Features\]](#)  
[\[Sequence\]](#)
[\[Tools\]](#)

## General information about the entry

Entry name **BXA1\_CLOBO**  
 Primary accession number **P10845**  
 Secondary accession numbers **P18639 P01561**  
 Entered in SWISS-PROT in **Release 11, July 1989**  
 Sequence was last modified in **Release 26, July 1993**  
 Annotations were last modified in **Release 41, June 2002**

## Name and origin of the protein

Protein name **Botulinum neurotoxin type A [Precursor]**  
 Synonyms **EC 3.4.24.69**  
**BoNT/A**  
**Bontoxilysin A**  
**BOTOX**  
 Contains **Botulinum neurotoxin A, light-chain**  
**Botulinum neurotoxin A, heavy-chain**  
 Gene name **BOTA or BNA or ATX**  
 From **Clostridium botulinum [TaxID: 1491]**  
 Taxonomy **Bacteria; Firmicutes; Clostridia; Clostridiales; Clostridiaceae; Clostridium.**

## References

- [1] SEQUENCE FROM NUCLEIC ACID.  
**STRAIN**=NCTC 2916;  
 MEDLINE=90235864; PubMed=2185020; [[NCBI](#), [ExPASy](#), [EBI](#), [Israel](#), [Japan](#)]  
[Thompson D.E.](#), [Brehm J.K.](#), [Oultram J.D.](#), [Swinfield T.-J.](#), [Shone C.C.](#), [Atkinson T.](#), [Melling J.](#),  
[Minton N.P.](#);  
 "The complete amino acid sequence of the Clostridium botulinum type A neurotoxin, deduced by  
 nucleotide sequence analysis of the encoding gene.";  
 Eur. J. Biochem. 189:73-81(1990).
- [2] SEQUENCE FROM NUCLEIC ACID.  
**STRAIN**=62A;  
 MEDLINE=90264400; PubMed=2160960; [[NCBI](#), [ExPASy](#), [EBI](#), [Israel](#), [Japan](#)]  
[Binz B.](#), [Kuarzono H.](#), [Wille M.](#), [Frevent J.](#), [Wernars K.](#), [Niemann H.](#);  
 "The complete sequence of botulinum neurotoxin type A and comparison with other clostridial

neurotoxins.";

J. Biol. Chem. 265:9153-9158(1990).

[3] SEQUENCE OF 1-65 FROM NUCLEIC ACID.

**STRAIN**=62A;

MEDLINE=97016817; PubMed=8863443; [NCBI, ExPASy, EBI, Israel, Japan]

East A.K., Bhandari M., Stacey J.M., Campbell K.D., Collins M.D.;

"Organization and phylogenetic interrelationships of genes encoding components of the botulinum toxin complex in proteolytic *Clostridium botulinum* types A, B, and F: evidence of chimeric sequences in the gene encoding the nontoxic nonhemagglutinin component.";

Int. J. Syst. Bacteriol. 46:1105-1112(1996).

[4] SEQUENCE OF 1-34 FROM NUCLEIC ACID.

**STRAIN**=Hall;

MEDLINE=89350959; PubMed=2669749; [NCBI, ExPASy, EBI, Israel, Japan]

Betley M.J., Somers E., Dasgupta B.R.;

"Characterization of botulinum type A neurotoxin gene: delineation of the N-terminal encoding region.";

Biochem. Biophys. Res. Commun. 162:1388-1395(1989).

[5] SEQUENCE OF 1-18 FROM NUCLEIC ACID.

**STRAIN**=Type A NIH;

MEDLINE=96096783; PubMed=8521962; [NCBI, ExPASy, EBI, Israel, Japan]

Fujita R., Fujinaga Y., Inoue K., Nakajima H., Kumon H., Oguma K.;

"Molecular characterization of two forms of nontoxic-nonhemagglutinin components of *Clostridium botulinum* type A progenitor toxins.";

FEBS Lett. 376:41-44(1995).

[6] SEQUENCE OF 1-16.

MEDLINE=84178501; PubMed=6370252; [NCBI, ExPASy, EBI, Israel, Japan]

Schmidt J.J., Sartymoorthy V., Dasgupta B.R.;

"Partial amino acid sequence of the heavy and light chains of botulinum neurotoxin type A.";

Biochem. Biophys. Res. Commun. 119:900-904(1984).

[7] SEQUENCE OF 1-46.

Dasgupta B.R., Foley J., Niece R.;

"Partial sequence of the light chain of botulinum neurotoxin type A.";

Biochemistry 26:4162-4162(1987).

[8] SEQUENCE OF 1-5 AND 444-456.

MEDLINE=91120847; PubMed=2126206; [NCBI, ExPASy, EBI, Israel, Japan]

Dasgupta B.R., Dekleva M.L.;

"Botulinum neurotoxin type A: sequence of amino acids at the N-terminus and around the nicking site.";

Biochimie 72:661-664(1990).

[9] SEQUENCE OF 448-464 AND 872-895.

MEDLINE=89024662; PubMed=3178218; [NCBI, ExPASy, EBI, Israel, Japan]

Sathymoorthy V., Dasgupta B.R., Foley J., Niece R.L.;

"Botulinum neurotoxin type A: cleavage of the heavy chain into two halves and their partial sequences.";

Arch. Biochem. Biophys. 266:142-151(1988).

[10]

SEQUENCE OF 448-482.

MEDLINE=85285016; PubMed=3896784; [NCBI, ExPASy, EBI, Israel, Japan]

Shone C.C., Hambleton P., Melling J.;

"Inactivation of *Clostridium botulinum* type A neurotoxin by trypsin and purification of two tryptic

fragments. Proteolytic action near the COOH-terminus of the heavy subunit destroys toxin-binding activity.";

Eur. J. Biochem. 151:75-82(1985).

[11] IDENTIFICATION OF SUBSTRATE.

MEDLINE=94063091; PubMed=8243676; [NCBI, ExPASy, EBI, Israel, Japan]

Schiavo G., Sanntuci A., Dasgupta B.R., Mehta P.P., Jontes J., Benfenati F., Wilson M.C., Montecucco C.;

"Botulinum neurotoxins serotypes A and E cleave SNAP-25 at distinct COOH-terminal peptide bonds.";

FEBS Lett. 335:99-103(1993).

[12] IDENTIFICATION OF SUBSTRATE.

MEDLINE=94124495; PubMed=8294407; [NCBI, ExPASy, EBI, Israel, Japan]

Binz T., Blasi J., Yamasaki S., Baumeister A., Link E., Suedhof T.C., Jahn R., Niemann H.;

"Proteolysis of SNAP-25 by types E and A botulin neurotoxins.";

J. Biol. Chem. 269:1617-1620(1994).

[13] MUTAGENESIS OF GLU-261; PHE-265 AND TYR-365.

MEDLINE=21556941; PubMed=11700044; [NCBI, ExPASy, EBI, Israel, Japan]

Rigoni M., Caccin P., Johnson E.A., Montecucco C., Rossetto O.;

"Site-directed mutagenesis identifies active-site residues of the light chain of botulinum neurotoxin type a.";

Biochem. Biophys. Res. Commun. 288:1231-1237(2001).

[14] X-RAY CRYSTALLOGRAPHY (3.3 ANGSTROMS).

MEDLINE=98455071; PubMed=9783750; [NCBI, ExPASy, EBI, Israel, Japan]

Lacy D.B., Tepp W., Cohen A.C., Dasgupta B.R., Stevens R.C.;

"Crystal structure of botulinum neurotoxin type A and implications for toxicity.";

Nat. Struct. Biol. 5:898-902(1998).

**Comments**

- **FUNCTION:** Inhibits acetylcholine release. The botulinum toxin binds with high affinity to peripheral neuronal presynaptic membrane, is then internalized by receptor-mediated endocytosis. The C-terminus of the heavy chain (H) is responsible for the adherence of the toxin to the cell surface while the N-terminus mediates transport of the light chain from the endocytic vesicle to the cytosol. After translocation, the light chain (L) hydrolyzes the 197-Gln-|-Arg-198 bond in SNAP-25, thereby blocking neurotransmitter release. Inhibition of acetylcholine release results in flaccid paralysis, with frequent heart or respiratory failure.
- **CATALYTIC ACTIVITY:** Limited hydrolysis of proteins of the neuroexocytosis apparatus, synaptobrevins, SNAP25 or syntaxin. No detected action on small molecule substrates.
- **SUBUNIT:** Disulfide-linked heterodimer of a light chain (L) and a heavy chain (H).
- **SUBCELLULAR LOCATION:** Secreted.
- **PHARMACEUTICAL:** Available under the name BOTOX (Allergan) for the treatment of strabismus and blepharospasm associated with dystonia and cervical dystonia. Also used for the treatment of hemifacial spasm and a number of other neurological disorders characterized by abnormal muscle contraction.
- **MISCELLANEOUS:** There are seven antigenically distinct forms of botulinum neurotoxin: Types A, B, C1, D, E, F, and G.
- **SIMILARITY:** BELONGS TO PEPTIDASE FAMILY M27.
- **DATABASE:** NAME=BOTOX product information Web site; WWW="<http://www.botox.com/index.jsp?hp&productinfo>".
- **DATABASE:** NAME=Protein Spotlight; NOTE=Issue 19 of February 2002; WWW="<http://www.expasy.org/spotlight/articles/sptlt019.html>".

**Copyright**

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to [license@isb-sib.ch](mailto:license@isb-sib.ch)).

### Cross-references

EMBL	X52066; CAA36289.1; -. [ <a href="#">EMBL</a> / <a href="#">GenBank</a> / <a href="#">DDBJ</a> ] [ <a href="#">CoDingSequence</a> ] M30196; AAA23262.1; -. [ <a href="#">EMBL</a> / <a href="#">GenBank</a> / <a href="#">DDBJ</a> ] [ <a href="#">CoDingSequence</a> ] X92973; CAA63551.1; -. [ <a href="#">EMBL</a> / <a href="#">GenBank</a> / <a href="#">DDBJ</a> ] [ <a href="#">CoDingSequence</a> ] D67030; BAA11051.1; -. [ <a href="#">EMBL</a> / <a href="#">GenBank</a> / <a href="#">DDBJ</a> ] [ <a href="#">CoDingSequence</a> ] M27892; AAA23269.1; -. [ <a href="#">EMBL</a> / <a href="#">GenBank</a> / <a href="#">DDBJ</a> ] [ <a href="#">CoDingSequence</a> ]
PIR	A35294; BTCLAB. S09492; S09492.
PDB	3BTA; 01-OCT-99. [ <a href="#">ExPASy</a> / <a href="#">RCSB</a> ]
MEROPS	M27.002; -. <a href="#">IPR000395</a> ; Bontoxilysin. <a href="#">IPR000130</a> ; Zn_MTpeptdse. <a href="#">Graphical view of domain structure.</a>
Pfam	PF01742; Peptidase_M27; 1.
PRINTS	PR00760; BONTOXILYSIN.
ProDom	PD001963; Bontoxilysin; 1. <a href="#">[Domain structure / List of seq. sharing at least 1 domain]</a> .
PROSITE	PS00142; ZINC_PROTEASE; 1.
BLOCKS	P10845.
ProtoNet	P10845.
ProtoMap	P10845.
PRESAGE	P10845.
DIP	P10845.
ModBase	P10845.
SWISS-2DPAGE	<a href="#">GET REGION ON 2D PAGE.</a>


### Keywords

**Neurotoxin; Transmembrane; Hydrolase; Metalloprotease; Zinc; Pharmaceutical; 3D-structure.**


### Features

Key	From	To	Length	Description
INIT_MET	0	0		
CHAIN	<u>1</u>	<u>447</u>	447	BOTULINUM NEUROTOXIN A, LIGHT-CHAIN.
CHAIN	<u>448</u>	<u>1295</u>	848	BOTULINUM NEUROTOXIN A, HEAVY-CHAIN.
METAL	<u>222</u>	<u>222</u>		ZINC (CATALYTIC) .
ACT_SITE	<u>223</u>	<u>223</u>		
METAL	<u>226</u>	<u>226</u>		ZINC (CATALYTIC) .
METAL	<u>261</u>	<u>261</u>		ZINC (CATALYTIC) .
DISULFID	<u>429</u>	<u>453</u>		INTERCHAIN.
DISULFID	<u>1234</u>	<u>1279</u>		
TRANSMEM	<u>626</u>	<u>646</u>	21	POTENTIAL.
TRANSMEM	<u>655</u>	<u>675</u>	21	POTENTIAL.
VARIANT	<u>26</u>	<u>26</u>		V -> A.
MUTAGEN	<u>261</u>	<u>261</u>		

E->A: DRASTIC DECREASE IN



[Feature  
aligner](#)



[Feature table  
viewer](#)

MUTAGEN	<u>265</u>	<u>265</u>	ENZYMATIC ACTIVITY.
			F->A: DECREASE IN ENZYMATIC ACTIVITY.
MUTAGEN	<u>365</u>	<u>365</u>	Y->A: DECREASE IN ENZYMATIC ACTIVITY.
CONFLICT	<u>1</u>	<u>1</u>	P -> Q (IN REF. <u>1</u> ).
CONFLICT	<u>479</u>	<u>479</u>	E -> P (IN REF. <u>9</u> ).
CONFLICT	<u>875</u>	<u>875</u>	T -> L (IN REF. <u>8</u> ).
CONFLICT	<u>891</u>	<u>891</u>	S -> K (IN REF. <u>8</u> ).

**Sequence information**

Length: **1295 AA** [This is the length of the unprocessed precursor]

Molecular weight: **149322 Da** [This is the MW of the unprocessed precursor]

CRC64: **858342F754862579** [This is a checksum on the sequence]

10	20	30	40	50	60
PFVVKQFNYK	DPVNGVDIAY	IKIPNVGQMQ	PVKAFKIHNK	IWVIPERDTF	TNPEEGDLNP
70	80	90	100	110	120
PPEAKQVPVS	YYDSTYLSTD	NEKDNYLKGV	TKLFERIYST	DLGRMLLTSI	VRGIPFWGGS
130	140	150	160	170	180
TIDTELKVID	TNCINVIQPD	GSYRSEELNL	VIIGPSADII	QFECKSFGHE	VLNLTRNGYG
190	200	210	220	230	240
STQYIRFSPD	FTFGFEESLE	VDTNPLLGA	KFATDPAVTL	AHELIHAGHR	LYGIAINPNR
250	260	270	280	290	300
VFKVNTNAYY	EMSGLEVSFE	ELRTFGGHDA	KFIDSLQENE	FRLYYYNKFK	DIASLTNKA
310	320	330	340	350	360
SIVGTTASLQ	YMKNVFKEY	LLSEDTSKGF	SVDKLKFDKL	YKMLTEIYTE	DNFVKFFKVL
370	380	390	400	410	420
NRKTYLNFDK	AVFKINIVPK	VNYTIYDGFN	LRNTNLAANF	NGQNTNINNM	NFTKLKNFTG
430	440	450	460	470	480
LFEFYKLLCV	RGIITSKTKS	LDKGYNKALN	DLCIKVNNWD	LFFSPSEDNF	TNDLNKGEEI
490	500	510	520	530	540
TSDTNIEAAE	ENISLDLIQQ	YYLTFNFDNE	PENISIENLS	SDIIGQLELM	PNIERFPNGK
550	560	570	580	590	600
KYELDKYTMF	HYLRAQEFEH	GKSRIALTNS	VNEALLNPSR	VYTFFSSDYV	KKVKNKATEAA
610	620	630	640	650	660
MFLGWVEQLV	YDFTDETSEV	STTDKIADIT	IIIPYIGPAL	NIGNMLYKDD	FVGALIFSGA

```

      670      680      690      700      710      720
      |      |      |      |      |      |
VILFEIPEI AIPVLGTFAL VSYIANKVLT VQTIDNALSK RNEKWDEVYK YIVTNWLAKV

      730      740      750      760      770      780
      |      |      |      |      |      |
NTQIDLIRKK MKEALENQAE ATKAIINYQY NQYTEEEKNN INFNIDDLSS KLNESINKAM

      790      800      810      820      830      840
      |      |      |      |      |      |
ININKFLNQC SVSYLMNSMI PYGVKRL EDF DASLKDALLK YIIDNRGTLI GQVDRCLKDKV

      850      860      870      880      890      900
      |      |      |      |      |      |
NNTLSTDIPF QLSKYVDNQR LLSTFTEYIK NIINTSILNL RYESNHLIDL SRYASKINIG

      910      920      930      940      950      960
      |      |      |      |      |      |
SKVNFDPIDK NQIQLFNLES SKIEVILKNA IVYNSMYENF STSFWIRIPK YFNSISLNNE

      970      980      990     1000     1010     1020
      |      |      |      |      |      |
YTIINCMENN SGWKVSLNYG EIIWTLQDTQ EIKQRVVFYK SQMINISDYI NRWIFVTITN

     1030     1040     1050     1060     1070     1080
      |      |      |      |      |      |
NRLNNSKIYI NGRLLIDQKPI SNLGNIHASN NIMFKLDGCR DTHRYIWIYK FNLFDKELNE

     1090     1100     1110     1120     1130     1140
      |      |      |      |      |      |
KEIKDLYDNQ SNSGILKDFW GDYLYQDKPY YMLNLYDPNK YVDVNNVGIR GYMYLKGPRG

     1150     1160     1170     1180     1190     1200
      |      |      |      |      |      |
SVMTTNIYLN SSLYRGTKFI IKKYASGNKD NIVRNNDRVY INVVVKNKEY RLATNASQAG

     1210     1220     1230     1240     1250     1260
      |      |      |      |      |      |
VEKILSALEI PDVGNLSQVV VMKSKNDQGI TNKCKMNLQD NNGNDIGFIG FHQFNNAKL

     1270     1280     1290
      |      |      |
VASNWNRYQI ERSSRTLGC S WEFIPVDDGW GERPL

```

P10845 in [FASTA format](#)

[View entry in original SWISS-PROT format](#)

[View entry in raw text format \(no links\)](#)

[Report form for errors/updates in this SWISS-PROT entry](#)



Direct BLAST submission at  
[EMBnet-CH/SIB \(Switzerland\)](#)



Direct BLAST submission at [NCBI \(Bethesda, USA\)](#)




[ScanProsite](#), [MotifScan](#)



Tools Sequence analysis tools: [ProtParam](#), [ProtScale](#),  
[Compute pI/Mw](#), [PeptideMass](#), [PeptideCutter](#),  
[Dotlet](#) (Java)



[Feature table viewer \(Java\)](#)[Search the SWISS-MODEL Repository](#)[ExPASy Home page](#)[Site Map](#)[Search ExPASy](#)[Contact us](#)[SWISS-PROT](#)[Hosted by NCSC US](#)[Mirror sites:](#)[Canada](#)[China](#)[Korea](#)[Switzerland](#)[Taiwan](#)



PubMed

Nucleotide

Protein

Genome

Structure

PopSet

Taxonomy

OMIM

Bo

Search **PubMed** for

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display

Summary

Sort

Save

Text

Clip Add

Order

Text Version

Show: **20**

Items 1-20 of 172

Page 1 of 9

Select page: **1** 2 3 4 5 6 7 8 9

## Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

## PubMed Services

Journal Browser

MeSH Browser

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

## Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

- ☐ **1:** [East AK, Bhandari M, Stacey JM, Campbell KD, Collins MD.](#) Related Articles, [NEW](#) Links

Organization and phylogenetic interrelationships of genes encoding components of the botulinum toxin complex in proteolytic *Clostridium botulinum* types A, B, and F: evidence of chimeric sequences in the gene encoding the nontoxic nonhemagglutinin component.

Int J Syst Bacteriol. 1996 Oct;46(4):1105-12.

PMID: 8863443 [PubMed - indexed for MEDLINE]

- ☐ **2:** [Santos-Buelga JA, Collins MD, East AK.](#) Related Articles, [NEW](#) Links

Characterization of the genes encoding the botulinum neurotoxin complex in a strain of *Clostridium botulinum* producing type B and F neurotoxins.

Curr Microbiol. 1998 Nov;37(5):312-8.

PMID: 9767710 [PubMed - indexed for MEDLINE]

- ☐ **3:** [Hutson RA, Zhou Y, Collins MD, Johnson EA, Hatheway CL, Sugiyama H.](#) Related Articles, [NEW](#) Links

Genetic characterization of *Clostridium botulinum* type A containing silent type B neurotoxin gene sequences.

J Biol Chem. 1996 May 3;271(18):10786-92.

PMID: 8631890 [PubMed - indexed for MEDLINE]

- ☐ **4:** [Bhandari M, Campbell KD, Collins MD, East AK.](#) Related Articles, [NEW](#) Links

Molecular characterization of the clusters of genes encoding the botulinum neurotoxin complex in *Clostridium botulinum* (*Clostridium argentinense*) type G and nonproteolytic *Clostridium botulinum* type B.

Curr Microbiol. 1997 Oct;35(4):207-14.

PMID: 9290060 [PubMed - indexed for MEDLINE]

- ☐ **5:** [Rodriguez Jovita M, Collins MD, East AK.](#) Related Articles, [NEW](#) Links

Gene organization and sequence determination of the two botulinum neurotoxin gene clusters in *Clostridium botulinum* type A(B) strain NCTC 2916.

Curr Microbiol. 1998 Apr;36(4):226-31.

PMID: 9504990 [PubMed - indexed for MEDLINE]

- ☐ **6:** [East AK, Bhandari M, Hielm S, Collins MD.](#) Related Articles, [NEW](#) Links

Analysis of the botulinum neurotoxin type F gene clusters in proteolytic and nonproteolytic *Clostridium botulinum* and *Clostridium baratii*.

Curr Microbiol. 1998 Oct;37(4):262-8.

PMID: 9732534 [PubMed - indexed for MEDLINE]

- ☐ **7:** [Kubota T, Yonekura N, Hariya Y, Isogai E, Isogai H, Amano K, Fujii N.](#) [Related Articles](#), [NEW](#) [Links](#)  
Gene arrangement in the upstream region of Clostridium botulinum type E and Clostridium butyricum BL6340 progenitor toxin genes is different from that of other types.  
FEMS Microbiol Lett. 1998 Jan 15;158(2):215-21.  
PMID: 9465394 [PubMed - indexed for MEDLINE]
- ☐ **8:** [Yang GH, Rhee SD, Jung HH, Jhee OH, Yang KH.](#) [Related Articles](#), [NEW](#) [Links](#)  
Cloning and characterization of the upstream region of Clostridium botulinum type B neurotoxin gene.  
Biochem Mol Biol Int. 1998 Jun;45(2):401-7.  
PMID: 9678262 [PubMed - indexed for MEDLINE]
- ☐ **9:** [East AK, Collins MD.](#) [Related Articles](#), [NEW](#) [Links](#)  
Conserved structure of genes encoding components of botulinum neurotoxin complex M and the sequence of the gene coding for the nontoxic component in nonproteolytic Clostridium botulinum type F.  
Curr Microbiol. 1994 Aug;29(2):69-77.  
PMID: 7764998 [PubMed - indexed for MEDLINE]
- ☐ **10:** [Henderson I, Whelan SM, Davis TO, Minton NP.](#) [Related Articles](#), [NEW](#) [Links](#)  
Genetic characterisation of the botulinum toxin complex of Clostridium botulinum strain NCTC 2916.  
FEMS Microbiol Lett. 1996 Jul 1;140(2-3):151-8.  
PMID: 8764477 [PubMed - indexed for MEDLINE]
- ☐ **11:** [East AK, Richardson PT, Allaway D, Collins MD, Roberts TA, Thompson DE.](#) [Related Articles](#), [NEW](#) [Links](#)  
Sequence of the gene encoding type F neurotoxin of Clostridium botulinum.  
FEMS Microbiol Lett. 1992 Sep 15;75(2-3):225-30.  
PMID: 1398040 [PubMed - indexed for MEDLINE]
- ☐ **12:** [Campbell KD, Collins MD, East AK.](#) [Related Articles](#), [NEW](#) [Links](#)  
Gene probes for identification of the botulin neurotoxin gene and specific identification of neurotoxin types B, E, and F.  
J Clin Microbiol. 1993 Sep;31(9):2255-62.  
PMID: 8408542 [PubMed - indexed for MEDLINE]
- ☐ **13:** [Hutson RA, Collins MD, East AK, Thompson DE.](#) [Related Articles](#), [NEW](#) [Links](#)  
Nucleotide sequence of the gene coding for non-proteolytic Clostridium botulinum type B neurotoxin: comparison with other clostridial neurotoxins.  
Curr Microbiol. 1994 Feb;28(2):101-10.  
PMID: 7764370 [PubMed - indexed for MEDLINE]
- ☐ **14:** [Hauser D, Eklund MW, Boquet P, Popoff MR.](#) [Related Articles](#), [NEW](#) [Links](#)  
Organization of the botulinum neurotoxin C1 gene and its associated non-toxic protein genes in Clostridium botulinum C 468.  
Mol Gen Genet. 1994 Jun 15;243(6):631-40.  
PMID: 8028579 [PubMed - indexed for MEDLINE]
- ☐ **15:** [Fujii N, Kimura K, Yokosawa N, Yashiki T, Tsuzuki K, Oguma K.](#) [Related Articles](#), [NEW](#) [Links](#)

The complete nucleotide sequence of the gene encoding the nontoxic component of *Clostridium botulinum* type E progenitor toxin.

J Gen Microbiol. 1993 Jan;139 ( Pt 1):79-86.

PMID: 8450310 [PubMed - indexed for MEDLINE]

- ☐ **16:** [Marvaud JC, Gibert M, Inoue K, Fujinaga Y, Oguma K, Popoff MR.](#) [Related Articles](#), [NEW Links](#)

**botR/A is a positive regulator of botulinum neurotoxin and associated non-toxin protein genes in *Clostridium botulinum* A.**

Mol Microbiol. 1998 Aug;29(4):1009-18.

PMID: 9767569 [PubMed - indexed for MEDLINE]

- ☐ **17:** [Tsuzuki K, Kimura K, Fujii N, Yokosawa N, Oguma K.](#) [Related Articles](#), [NEW Links](#)

**The complete nucleotide sequence of the gene coding for the nontoxic-nonhemagglutinin component of *Clostridium botulinum* type C progenitor toxin.**

Biochem Biophys Res Commun. 1992 Mar 31;183(3):1273-9.

PMID: 1567404 [PubMed - indexed for MEDLINE]

- ☐ **18:** [Hauser D, Gibert M, Marvaud JC, Eklund MW, Popoff MR.](#) [Related Articles](#), [NEW Links](#)

**Botulinal neurotoxin C1 complex genes, clostridial neurotoxin homology and genetic transfer in *Clostridium botulinum*.**

Toxicon. 1995 Apr;33(4):515-26.

PMID: 7570637 [PubMed - indexed for MEDLINE]

- ☐ **19:** [Yang GH, Rhee SD, Jung HH, Yang KH.](#) [Related Articles](#), [NEW Links](#)

**Organization and nucleotide sequence of genes for hemagglutinin components of *Clostridium botulinum* type B progenitor toxin.**

Biochem Mol Biol Int. 1996 Aug;39(6):1141-6.

PMID: 8876967 [PubMed - indexed for MEDLINE]

- ☐ **20:** [Li B, Qian X, Sarkar HK, Singh BR.](#) [Related Articles](#), [NEW Links](#)

**Molecular characterization of type E *Clostridium botulinum* and comparison to other types of *Clostridium botulinum*.**

Biochim Biophys Acta. 1998 Jan 7;1395(1):21-7.

PMID: 9434146 [PubMed - indexed for MEDLINE]

Display	Summary	Sort	Save	Text	Clip Add	Order
---------	---------	------	------	------	----------	-------

Show:  Items 1-20 of 172      Page 1 of 9      Select page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#)

[Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act](#) | [Disclaimer](#)

i686-pc-linux-gnu Aug 30 2002 15:17:13

ID CBANB standard; DNA; PRO; 3820 BP.  
 XX  
 AC X92973;  
 XX  
 SV X92973.1  
 XX  
 DT 10-OCT-1996 (Rel. 49, Created)  
 DT 02-DEC-1996 (Rel. 50, Last updated, Version 5)  
 XX  
 DE C.botulinum A ntnh and bont genes  
 XX  
 KW bont gene; ntnh gene.  
 XX  
 OS Clostridium botulinum A  
 OC Bacteria; Firmicutes; Bacillus/Clostridium group; Clostridia;  
 OC Clostridiales; Clostridiaceae; Clostridium; Clostridium botulinum.  
 XX  
 RN [1]  
 RA East A.K., Bhandari M., Stacey J.M., Campbell K.D., Collins M.D.;  
 RT "Organization and phylogenetic interrelationships of genes encoding  
 RT components of the botulinum toxin complex in proteolytic Clostridium  
 RT botulinum types A, B and F: Evidence of chimeric sequences in the gene  
 RT encoding the nontoxic-nonhemagglutinin component";  
 RL Int. J. Syst. Bacteriol. 46:1105-1112(1996).  
 XX  
 RN [2]  
 RP 1-3820  
 RA East A.K.;  
 RT ;  
 RL Submitted (13-NOV-1995) to the EMBL/GenBank/DDBJ databases.  
 RL A.K. East, AFRC Inst. of Food Research, Reading Laboratory, Microbiology  
 RL Dept., Earley Gate, Whiteknights Rd., Reading RG6 2bz, UK  
 XX  
 DR SPTREMBL; P71107; P71107.  
 DR SWISS-PROT; P10845; BXA1\_CLOBO.  
 XX  
 FH Key Location/Qualifiers  
 FH  
 FT source 1..3820  
 FT /db\_xref="taxon:36826"  
 FT /organism="Clostridium botulinum A"  
 FT /strain="62A"  
 FT CDS 1..3582  
 FT /db\_xref="SPTREMBL:P71107"  
 FT /transl\_table=11  
 FT /gene="ntnh"  
 FT /protein\_id="CAA63550.1"  
 FT /translation="MNINDNLSINSPVDNKNVVVRARKTDTVFKAFKVAPNIWVAPER  
 FT YYGESLSIDE EYKVDGGIYDSNFLSQDSEKDKFLQAIITLLKRINSTNAGEKLLSLIST  
 FT AIPFPYGYIGGGYYAPNMITFGSAPKSNKKLNSLISSTIPFPYAGYRETNYLSSDNKS  
 FT FYASNIVI FPGANIVENNTVFYKKEDAENGMTMTEIWFQPFLLTYKYDEFYIDPAIEL  
 FT IKCLIKSLYFLYGIKPSDDLVI PYRLRSELENIEYSQLNIVDLLVSGGIDPKFINTDPY  
 FT WFTDNYFSNAKVFEDHRNIYETEIEGNNAIGNDIKLRLKQKFRININDIWGLNLNYFS  
 FT KEFSIMMPDRFNNALKHFYRKQYYKIDYPENYSINGFVNGQINAQLSLSDRNQDIINKP  
 FT EEIINLLNGNNVSLMRSNIYGDGLKSTVDDFYSNYKIPYNRAYEYHFNNNSNDSSLDNVN  
 FT IGVIDNIPEIIDVNPYKENCDFSPVQKITSTREINTNIPWPINYLQAQNTNNEKFSL  
 FT SDFVEVVSSKDKSLVYFSLNVMFYLDISKDNSPIDTDKKYYLWLREIFRNYSDITAT  
 FT QEINTNCGINKVVTWFGKALNINLNTSDSFVEEFQNLGAISLINKKENLSMPIIESYEIP  
 FT NDMLGLPLNDLNEKLFNIYSKNTAYFKKIYYNFLDQWWTQYYSQYFDLICMAKRSVLAQ  
 FT ETLIKRIIQKKLSYLGNSNISSDNLALMNLTTTNTLRDISNESQIAMNNVDSFLNNA

```

FT      ICVFESNIYPKFISFMEQCINNINIKTKEFIQKCTNINEDEKLQLINQNVFNSLDFEFL
FT      NIQNMKSLFSSETALLIKEETWPYELVLVYAFKEPGNNVIGDASGKNTSIEYSKDIGLVY
FT      GINS DALY LNSGNSQISFSNDFFENGLTNSFSIYFWLRNLGKDTIKSKLIGSKEDNCGW
FT      EIYFQDTGLVFNMIDSNNEKNIYLSDVSNNSWHYITISVDRLKEQLLIFIDDLNVANE
FT      SIKEILNIYSSNIISLLSENNPSYIEGLTILNKPTTSQEVLNSYFEVLNNSYIRDSNEE
FT      RLEYNKTYQLYNYVFSDKPICEVKQNNNIYLTINNTNNLNLQASKFKLLSINPNKQYVQ
FT      KLDEVIISVLDNMEKYIDISEDNRLQLIDNKNNNAKKMIISNDIFISNCLTSLSYNGKYIC
FT      LSMKDENHNWMICNNDMSKYLWLSFK"
FT      CDS      3626..>3820
FT      /db_xref="SWISS-PROT:P10845"
FT      /transl_table=11
FT      /gene="bont"
FT      /protein_id="CAA63551.1"
FT      /translation="MPFVNKQFNYKDPVNGVDIAYIKIPNAGQMOPVKAFKIHNKIWWI
FT      PERDTFTNPEEGDLNPPPEA"
XX
SQ

```

Sequence 3820 BP; 1549 A; 383 C; 551 G; 1337 T; 0 other;

```

atgaatataa atgacaactt aagtataaat tccccggtag ataataaaaa tgtttagtagta      60
gtttagagcta gaaaaaactga tacggttttt aaggctttta aggttgctcc caatatattgg      120
gtggcgccag agagatatta tggcgaatct ttgagtatag atgaagaata taaagttgat      180
gggggaatat atgattctaa ttttctttca caagatagtg aaaaagataa gttcttacaa      240
gccattatta ctttgttaaa aagaattaat agtactaacg ctggggaaaa gttattatct      300
ttgatttcta cagctattcc atttccttat ggatatatag gtggagggtta ttatgcacct      360
aatatgatta cttttggatc agcaccaaaa tctaataaaa aattgaattc tttaatttca      420
agtactattc catttcctta tgcaggatat agagaaacaa attatctttc atctgaagat      480
aataaaaagt tctatgcac taaatatagtt atttttggtc caggagcaaa catagtagaa      540
aacaatactg ttttttataa aaaggaagat gcagaaaatg gaatgggaac aatgactgaa      600
atatggttcc aaccatttct aacctataaa tatgacgaat tttatattga tcctgcaata      660
gaattaataa aatgttttaaat aaaatctctt tatttcttat atggtataaa acctagtgat      720
gatttagtta ttccatatag attaagaagt gaattagaga atatagaata ctcacaattg      780
aatatagttg atttactagt atctggaggc attgatccta aatttataaa tacagatcca      840
tattggttta cagataatta tttctcaaat gcaaaaaaag tgtttgaaga tcataggaat      900
atztatgaaa cagaaattga aggaaataat gccattggta atgatataaa attgagatta      960
aaacaaaagt ttcgaatcaa tatcaatgat atatggggat taaatttaaa ttatttctct      1020
aaagagttta gcattatgat gccagataga ttttaaatg cacttaaaaca tttttataga      1080
aaacaatact acaaaaataga ttatccagaa aattatagta taaatggttt tgttaatggt      1140
caaattaatg ctcaattatc tttatcagat agaaatcaag atattataaa taaacctgaa      1200
gaaataatta atttattaaa tggaaataat gtttcattaa tgagaagtaa tatttatggt      1260
gatggattaa aaagcactgt agatgatttt tacagtaatt ataaaatccc atataataga      1320
gcctatgaat atcattttta taattcaaat gattcttctt tagataatgt taacattgga      1380
gtaatagaca atattccaga gattatagat gtaaatcctt ataaggaaaa ttgtgataag      1440
ttttcaccgg tacagaaaat tacaagtact agagaaatta atacaaatat accatggcct      1500
ataaattatt tacaagctca aaatactaac aatgaaaaat ttagtttatc ctcagatttt      1560
gtagaagtag tttcttctaa agataaatct ttagtgattt ctttcttatc taatgtaatg      1620
ttttatttag attccataaa ggataatagt cctattgata cagataaaaa atattattta      1680
tggttaagag agatttttag aaattattct tttgatatta ctgcaactca agaaattaat      1740
actaattgtg gtattaataa agtagtaact tggtttgga aagcattaaa tattttaaat      1800
acatctgatt cttttgtaga agaatttcaa aatttagggg caatttcact tattaataaa      1860
aaagaaaatt taagtatgcc aataattgag agttatgaaa tccctaacga tatgttagga      1920
ttaccactaa atgattttaa tgaaaaatta tttaacatat attctaaaaa cacagcttat      1980
tttaaaaaaa tctactataa tttcctagat cagtgggtga cacaatatta tagtcaatat      2040
tttgatttaa tttgtatggc taaaagatca gtgttagctc aagaaacttt aataaaaaaga      2100
ataatacaaa aaaaattgag ttatttaata ggaatttcta atatatcatc tgataactta      2160
gcattgatga atcttacaac aacaaataca ttaagagata tttcaaacga atcacaaata      2220
gcaatgaata atgtagatag ttttttaaat aatgccgcta tatgtgtttt tgaaagtaat      2280
atatatccta aatttatttc ttttatggaa caatgtatta ataataaaa tattaagaca      2340
aaagaattta tacaataatg tactaatatt aatgaagatg aaaaattaca attaattaac      2400
cagaatgttt ttaatagctt agattttgaa ttcttaataa ttcaaaatat gaaaagttta      2460
tttagttcag agacagcatt acttataaag gaggaactt ggccttatga actagtgtta      2520
tatgctttta aggaaccagg taataatgtt atcggagatg catctggtaa aaatacatca      2580

```

atagaatatt	ctaaggacat	aggtttagtt	tatggaataa	atagtgatgc	attatattta	2640
aatggatcta	atcaaagtat	aagtttttct	aatgatttct	ttgagaatgg	attaactaac	2700
agtttttcaa	tttatttttg	gttgagaaat	ttgggcāaag	atactattaa	atctaagtta	2760
ataggtagta	aggaagataa	ttgtggttgg	gaaatttatt	ttcaagatac	tgggttggtt	2820
ttcaatatga	tagattctaa	tggaaatgag	aagaatatat	atctatctga	tgtttcta	2880
aatagttggc	actatataac	tatatctgta	gatcgtttaa	aagaacaatt	attaatat	2940
attgatgata	atttagtggc	taatgaaagt	attaaggaaa	ttttaaatat	ctattcaagt	3000
aatataattt	ctttattaag	cgagaataat	ccaagttata	ttgagggatt	aactatttta	3060
aataaaccca	ctacaagtca	ggaagttttg	agtaattatt	ttgaagttct	aaataattca	3120
tatataagag	acagtaatga	agaacgatta	gaatacaata	agacatatca	attatataat	3180
tatgtatttt	cagataagcc	tatatgtgaa	gttaaacaaa	ataataatat	atatttaaca	3240
attaataata	caaacaattt	aaatctacaa	gcttctaaat	ttaaattatt	aagtataaat	3300
ccaaataaac	aatatgttca	aaaacttgat	gaggtaataa	tttctgtatt	agataatatg	3360
gaaaaatata	tagatatatc	tgaagataat	agattgcaac	taatagataa	caaaaataac	3420
gcaaagaaga	tgataattag	taatgatata	tttatttcca	attgtttaac	cctatcttat	3480
aacggtaaat	atatatgttt	atctatgaaa	gatgaaaacc	ataattggat	gatatgtaat	3540
aatgatatgt	caaagtattt	gtatttatgg	tcattttaat	aattaataat	ttaattaatt	3600
ttaaatatta	taagaggtgt	taaatatgcc	atttgttaat	aaacaattta	attataaaga	3660
tcctgtaaat	ggtgttgata	ttgcttatat	aaaaattcca	aatgcaggac	aatgcaacc	3720
agtaaaagct	tttaaaattc	ataataaaat	atgggttatt	ccagaaagag	atacatttac	3780
aaatcctgaa	gaaggagatt	taaatccacc	accagaagca			3820

//

[ExPASy Home page](#)[Site Map](#)[Search ExPASy](#)[Contact us](#)[SWISS-PROT](#)

## SWISS-PROT: BXA1\_CLOBO

The section of the sequence BXA1\_CLOBO (P10845) you have selected corresponds to:

CHAIN 448 1295 BOTULINUM NEUROTOXIN A, HEAVY-CHAIN.

In one-letter code:

1	11	21	31	41	51	
1	PFVVKQFNYK	DPVNGVDIAY	IKIPNVGQMQ	PVKAFKIHNK	IWVIPERDTF	TNPEEGDLNP 60
61	PPEAKQVPVS	YYDSTYLSTD	NEKDNYLKGV	TKLFERIYST	DLGRMLLTSI	VRGIPFWGGS 120
121	TIDTELKVID	TNCINVIQPD	GSYRSEELNL	VIIGPSADII	QFECKSFGHE	VLNLTRNGYG 180
181	STQYIRFSPD	FTFGFEESLE	VDTNPLLGA	KFATDPAVTL	AHELIHAGHR	LYGIAINPNR 240
241	VFKVNTNAYY	EMSGLEVSFE	ELRTFGGHDA	KFIDSLQENE	FRLYYYNKFK	DIASLTNKAK 300
301	SIVGTTASLQ	YMKNVFKEYK	LLSEDTSGKF	SVDKCLKFDKL	YKMLTEIYTE	DNFVKFFKVL 360
361	NRKTYLNFDK	AVFKINIVPK	VNYTIYDGFN	LRNTNLAANF	NGQNTTEINM	NFTKLKNFTG 420
421	LFEFYKLLCV	RGIITSKTKS	LDKGYNKALN	DLCIKVNNWD	LFFSPSEDNF	TNDLNKGEEI 480
481	TSDTNIEAAE	ENISLDLIQQ	YYLTFNFDNE	PENISIENLS	SDIIGQLELM	PNIERFPNGK 540
541	KYELDKYTMF	HYLRAQEFEH	GKSRIALTNS	VNEALLNPSR	VYTFSSDYV	KKVINKATEAA 600
601	MFLGWVEQLV	YDFTDETSEV	STTDKIADIT	IIIPYIGPAL	NIGNMLYKDD	FVGALIFSGA 660
661	VILLEFIPEI	AIPVLGTFAL	VSYIANKVLT	VQTIDNALSK	RNEKWDEVYK	YIVTNWLAKV 720
721	NTQIDLIRKK	MKEALENQAE	ATKAIINYQY	NQYTEEEKNN	INFNIDDLSS	KLNESINKAM 780
781	ININKFLNQC	SVSYLMNSMI	PYGVKRLEDF	DASLKDALLK	YIYDNRGTLI	GQVDRCLKDV 840
841	NNTLSTDIPF	QLSKYVDNQR	LLSTFTEYIK	NIINTSILNL	RYESNHLIDL	SRYASKINIG 900
901	SKVNFDPIDK	NQIQLFNLES	SKIEVILKNA	IVYNSMYENF	STSFWIRIPK	YFNSISLNNE 960
961	YTIINCMENN	SGWKVSLNYG	EIIWTLQDTQ	EIKQRVVFYK	SQMINISDYI	NRWIFVTITN 1020
1021	NRLNNSKIYI	NGRLIDQKPI	SNLGNIHASN	NIMFKLDGCR	DTHRYIWIYK	FNLFDKELNE 1080
1081	KEIKDLYDNQ	SNSGILKDFW	GDYLQYDKPY	YMLNLYDPNK	YVDVNNVGIR	GYMYLKGPGRG 1140
1141	SVMTTNIYLN	SSLYRGTKFI	IKKYASGNKD	NIVRNNDRVY	INVVVKNKEY	RLATNASQAG 1200
1201	VEKILSALEI	PDVGNLSQVV	VMKSKNDQGI	TNKCKMNLQD	NNGNDIGFIG	FHQFNNIACL 1260
1261	VASNWYNRQI	ERSSRTLGC	SEFIPVDDGW	GERPL		

In three-letter code:

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
1	Pro	Phe	Val	Asn	Lys	Gln	Phe	Asn	Tyr	Lys	Asp	Pro	Val	Asn	Gly	15
16	Val	Asp	Ile	Ala	Tyr	Ile	Lys	Ile	Pro	Asn	Val	Gly	Gln	Met	Gln	30
31	Pro	Val	Lys	Ala	Phe	Lys	Ile	His	Asn	Lys	Ile	Trp	Val	Ile	Pro	45
46	Glu	Arg	Asp	Thr	Phe	Thr	Asn	Pro	Glu	Glu	Gly	Asp	Leu	Asn	Pro	60
61	Pro	Pro	Glu	Ala	Lys	Gln	Val	Pro	Val	Ser	Tyr	Tyr	Asp	Ser	Thr	75
76	Tyr	Leu	Ser	Thr	Asp	Asn	Glu	Lys	Asp	Asn	Tyr	Leu	Lys	Gly	Val	90
91	Thr	Lys	Leu	Phe	Glu	Arg	Ile	Tyr	Ser	Thr	Asp	Leu	Gly	Arg	Met	105
106	Leu	Leu	Thr	Ser	Ile	Val	Arg	Gly	Ile	Pro	Phe	Trp	Gly	Gly	Ser	120
121	Thr	Ile	Asp	Thr	Glu	Leu	Lys	Val	Ile	Asp	Thr	Asn	Cys	Ile	Asn	135
136	Val	Ile	Gln	Pro	Asp	Gly	Ser	Tyr	Arg	Ser	Glu	Glu	Leu	Asn	Leu	150
151	Val	Ile	Ile	Gly	Pro	Ser	Ala	Asp	Ile	Ile	Gln	Phe	Glu	Cys	Lys	165
166	Ser	Phe	Gly	His	Glu	Val	Leu	Asn	Leu	Thr	Arg	Asn	Gly	Tyr	Gly	180
181	Ser	Thr	Gln	Tyr	Ile	Arg	Phe	Ser	Pro	Asp	Phe	Thr	Phe	Gly	Phe	195
196	Glu	Glu	Ser	Leu	Glu	Val	Asp	Thr	Asn	Pro	Leu	Leu	Gly	Ala	Gly	210



211	Lys	Phe	Ala	Thr	Asp	Pro	Ala	Val	Thr	Leu	Ala	His	Glu	Leu	Ile	225
226	His	Ala	Gly	His	Arg	Leu	Tyr	Gly	Ile	Ala	Ile	Asn	Pro	Asn	Arg	240
241	Val	Phe	Lys	Val	Asn	Thr	Asn	Ala	Tyr	Tyr	Glu	Met	Ser	Gly	Leu	255
256	Glu	Val	Ser	Phe	Glu	Glu	Leu	Arg	Thr	Phe	Gly	Gly	His	Asp	Ala	270
271	Lys	Phe	Ile	Asp	Ser	Leu	Gln	Glu	Asn	Glu	Phe	Arg	Leu	Tyr	Tyr	285
286	Tyr	Asn	Lys	Phe	Lys	Asp	Ile	Ala	Ser	Thr	Leu	Asn	Lys	Ala	Lys	300
301	Ser	Ile	Val	Gly	Thr	Thr	Ala	Ser	Leu	Gln	Tyr	Met	Lys	Asn	Val	315
316	Phe	Lys	Glu	Lys	Tyr	Leu	Leu	Ser	Glu	Asp	Thr	Ser	Gly	Lys	Phe	330
331	Ser	Val	Asp	Lys	Leu	Lys	Phe	Asp	Lys	Leu	Tyr	Lys	Met	Leu	Thr	345
346	Glu	Ile	Tyr	Thr	Glu	Asp	Asn	Phe	Val	Lys	Phe	Phe	Lys	Val	Leu	360
361	Asn	Arg	Lys	Thr	Tyr	Leu	Asn	Phe	Asp	Lys	Ala	Val	Phe	Lys	Ile	375
376	Asn	Ile	Val	Pro	Lys	Val	Asn	Tyr	Thr	Ile	Tyr	Asp	Gly	Phe	Asn	390
391	Leu	Arg	Asn	Thr	Asn	Leu	Ala	Ala	Asn	Phe	Asn	Gly	Gln	Asn	Thr	405
406	Glu	Ile	Asn	Asn	Met	Asn	Phe	Thr	Lys	Leu	Lys	Asn	Phe	Thr	Gly	420
421	Leu	Phe	Glu	Phe	Tyr	Lys	Leu	Cys	Val	Arg	Gly	Ile	Ile	Thr		435
436	Ser	Lys	Thr	Lys	Ser	Leu	Asp	Lys	Gly	Tyr	Asn	Lys	Ala	Leu	Asn	450
451	Asp	Leu	Cys	Ile	Lys	Val	Asn	Asn	Trp	Asp	Leu	Phe	Phe	Ser	Pro	465
466	Ser	Glu	Asp	Asn	Phe	Thr	Asn	Asp	Leu	Asn	Lys	Gly	Glu	Glu	Ile	480
481	Thr	Ser	Asp	Thr	Asn	Ile	Glu	Ala	Ala	Glu	Glu	Asn	Ile	Ser	Leu	495
496	Asp	Leu	Ile	Gln	Gln	Tyr	Tyr	Leu	Thr	Phe	Asn	Phe	Asp	Asn	Glu	510
511	Pro	Glu	Asn	Ile	Ser	Ile	Glu	Asn	Leu	Ser	Ser	Asp	Ile	Ile	Gly	525
526	Gln	Leu	Glu	Leu	Met	Pro	Asn	Ile	Glu	Arg	Phe	Pro	Asn	Gly	Lys	540
541	Lys	Tyr	Glu	Leu	Asp	Lys	Tyr	Thr	Met	Phe	His	Tyr	Leu	Arg	Ala	555
556	Gln	Glu	Phe	Glu	His	Gly	Lys	Ser	Arg	Ile	Ala	Leu	Thr	Asn	Ser	570
571	Val	Asn	Glu	Ala	Leu	Leu	Asn	Pro	Ser	Arg	Val	Tyr	Thr	Phe	Phe	585
586	Ser	Ser	Asp	Tyr	Val	Lys	Lys	Val	Asn	Lys	Ala	Thr	Glu	Ala	Ala	600
601	Met	Phe	Leu	Gly	Trp	Val	Glu	Gln	Leu	Val	Tyr	Asp	Phe	Thr	Asp	615
616	Glu	Thr	Ser	Glu	Val	Ser	Thr	Thr	Asp	Lys	Ile	Ala	Asp	Ile	Thr	630
631	Ile	Ile	Ile	Pro	Tyr	Ile	Gly	Pro	Ala	Leu	Asn	Ile	Gly	Asn	Met	645
646	Leu	Tyr	Lys	Asp	Asp	Phe	Val	Gly	Ala	Leu	Ile	Phe	Ser	Gly	Ala	660
661	Val	Ile	Leu	Leu	Glu	Phe	Ile	Pro	Glu	Ile	Ala	Ile	Pro	Val	Leu	675
676	Gly	Thr	Phe	Ala	Leu	Val	Ser	Tyr	Ile	Ala	Asn	Lys	Val	Leu	Thr	690
691	Val	Gln	Thr	Ile	Asp	Asn	Ala	Leu	Ser	Lys	Arg	Asn	Glu	Lys	Trp	705
706	Asp	Glu	Val	Tyr	Lys	Tyr	Ile	Val	Thr	Asn	Trp	Leu	Ala	Lys	Val	720
721	Asn	Thr	Gln	Ile	Asp	Leu	Ile	Arg	Lys	Lys	Met	Lys	Glu	Ala	Leu	735
736	Glu	Asn	Gln	Ala	Glu	Ala	Thr	Lys	Ala	Ile	Ile	Asn	Tyr	Gln	Tyr	750
751	Asn	Gln	Tyr	Thr	Glu	Glu	Glu	Lys	Asn	Asn	Ile	Asn	Phe	Asn	Ile	765
766	Asp	Asp	Leu	Ser	Ser	Lys	Leu	Asn	Glu	Ser	Ile	Asn	Lys	Ala	Met	780
781	Ile	Asn	Ile	Asn	Lys	Phe	Leu	Asn	Gln	Cys	Ser	Val	Ser	Tyr	Leu	795
796	Met	Asn	Ser	Met	Ile	Pro	Tyr	Gly	Val	Lys	Arg	Leu	Glu	Asp	Phe	810
811	Asp	Ala	Ser	Leu	Lys	Asp	Ala	Leu	Leu	Lys	Tyr	Ile	Tyr	Asp	Asn	825
826	Arg	Gly	Thr	Leu	Ile	Gly	Gln	Val	Asp	Arg	Leu	Lys	Asp	Lys	Val	840
841	Asn	Asn	Thr	Leu	Ser	Thr	Asp	Ile	Pro	Phe	Gln	Leu	Ser	Lys	Tyr	855
856	Val	Asp	Asn	Gln	Arg	Leu	Leu	Ser	Thr	Phe	Thr	Glu	Tyr	Ile	Lys	870
871	Asn	Ile	Ile	Asn	Thr	Ser	Ile	Leu	Asn	Leu	Arg	Tyr	Glu	Ser	Asn	885
886	His	Leu	Ile	Asp	Leu	Ser	Arg	Tyr	Ala	Ser	Lys	Ile	Asn	Ile	Gly	900
901	Ser	Lys	Val	Asn	Phe	Asp	Pro	Ile	Asp	Lys	Asn	Gln	Ile	Gln	Leu	915
916	Phe	Asn	Leu	Glu	Ser	Ser	Lys	Ile	Glu	Val	Ile	Leu	Lys	Asn	Ala	930
931	Ile	Val	Tyr	Asn	Ser	Met	Tyr	Glu	Asn	Phe	Ser	Thr	Ser	Phe	Trp	945
946	Ile	Arg	Ile	Pro	Lys	Tyr	Phe	Asn	Ser	Ile	Ser	Leu	Asn	Asn	Glu	960
961	Tyr	Thr	Ile	Ile	Asn	Cys	Met	Glu	Asn	Asn	Ser	Gly	Trp	Lys	Val	975
976	Ser	Leu	Asn	Tyr	Gly	Glu	Ile	Ile	Trp	Thr	Leu	Gln	Asp	Thr	Gln	990
991	Glu	Ile	Lys	Gln	Arg	Val	Val	Phe	Lys	Tyr	Ser	Gln	Met	Ile	Asn	1005
1006	Ile	Ser	Asp	Tyr	Ile	Asn	Arg	Trp	Ile	Phe	Val	Thr	Ile	Thr	Asn	1020
1021	Asn	Arg	Leu	Asn	Asn	Ser	Lys	Ile	Tyr	Ile	Asn	Gly	Arg	Leu	Ile	1035
1036	Asp	Gln	Lys	Pro	Ile	Ser	Asn	Leu	Gly	Asn	Ile	His	Ala	Ser	Asn	1050
1051	Asn	Ile	Met	Phe	Lys	Leu	Asp	Gly	Cys	Arg	Asp	Thr	His	Arg	Tyr	1065
1066	Ile	Trp	Ile	Lys	Tyr	Phe	Asn	Leu	Phe	Asp	Lys	Glu	Leu	Asn	Glu	1080
1081	Lys	Glu	Ile	Lys	Asp	Leu	Tyr	Asp	Asn	Gln	Ser	Asn	Ser	Gly	Ile	1095
1096	Leu	Lys	Asp	Phe	Trp	Gly	Asp	Tyr	Leu	Gln	Tyr	Asp	Lys	Pro	Tyr	1110

```

1111 Tyr Met Leu Asn Leu Tyr Asp Pro Asn Lys Tyr Val Asp Val Asn 1125
1126 Asn Val Gly Ile Arg Gly Tyr Met Tyr Leu Lys Gly Pro Arg Gly 1140
1141 Ser Val Met Thr Thr Asn Ile Tyr Leu Asn Ser Ser Leu Tyr Arg 1155
1156 Gly Thr Lys Phe Ile Ile Lys Lys Tyr Ala Ser Gly Asn Lys Asp 1170
1171 Asn Ile Val Arg Asn Asn Asp Arg Val Tyr Ile Asn Val Val Val 1185
1186 Lys Asn Lys Glu Tyr Arg Leu Ala Thr Asn Ala Ser Gln Ala Gly 1200
1201 Val Glu Lys Ile Leu Ser Ala Leu Glu Ile Pro Asp Val Gly Asn 1215
1216 Leu Ser Gln Val Val Val Met Lys Ser Lys Asn Asp Gln Gly Ile 1230
1231 Thr Asn Lys Cys Lys Met Asn Leu Gln Asp Asn Asn Gly Asn Asp 1245
1246 Ile Gly Phe Ile Gly Phe His Gln Phe Asn Asn Ile Ala Lys Leu 1260
1261 Val Ala Ser Asn Trp Tyr Asn Arg Gln Ile Glu Arg Ser Ser Arg 1275
1276 Thr Leu Gly Cys Ser Trp Glu Phe Ile Pro Val Asp Asp Gly Trp 1290
1291 Gly Glu Arg Pro Leu

```

Direct similarity search submission of this subsequence to



Direct BLAST submission at  
[EMBNET-CH/SIB \(Switzerland\)](#)



Direct BLAST submission at [NCBI \(Bethesda, USA\)](#)



[ScanProsite](#)



Tools Sequence analysis tools: [ProtParam](#), [ProtScale](#),  
[Compute pI/Mw](#), [PeptideMass](#), [PeptideCutter](#),  
[Dotlet \(Java\)](#)



[Direct Submission to SWISS-MODEL](#)

[ExPASy Home page](#)

[Site Map](#)

[Search ExPASy](#)

[Contact us](#)

[SWISS-PROT](#)

ID CBNEUR standard; DNA; PRO; 4835 BP.  
 XX  
 AC M30196;  
 XX  
 SV M30196.1  
 XX  
 DT 19-APR-1990 (Rel. 23, Created)  
 DT 04-MAR-2000 (Rel. 63, Last updated, Version 4)  
 XX  
 DE C.botulinum neurotoxin gene, complete cds.  
 XX  
 KW neurotoxin.  
 XX  
 OS Clostridium botulinum  
 OC Bacteria; Firmicutes; Bacillus/Clostridium group; Clostridia;  
 OC Clostridiales; Clostridiaceae; Clostridium.  
 XX  
 RN [1]  
 RP 1-4835  
 RX MEDLINE; 90264400.  
 RA Binz T., Kurazono H., Wille M., Frevert J., Wernars K., Niemann H.;  
 RT "The complete sequence of the botulinum type A neurotoxin and its  
 RT comparison with other Clostridial neurotoxins";  
 RL J. Biol. Chem. 265:9153-9158(1990).  
 XX  
 DR SWISS-PROT; P10845; BXA1\_CLOBO.  
 XX  
 CC Draft entry and computer-readable sequence for [1] kindly submitted  
 CC by H.Niemann, 29-NOV-1989.  
 XX  

Key	Location/Qualifiers
<u>source</u>	1..4835
	/db_xref="taxon:1491"
	/organism="Clostridium botulinum"
<u>mRNA</u>	240..>4835
	/note="neurotoxin mRNA"
<u>misc signal</u>	344..349
	/note="ribosome binding site"
<u>CDS</u>	358..4248
	/codon_start=1
	/db_xref="SWISS-PROT:P10845"
	/note="neurotoxin"
	/transl_table=11
	/protein_id="AAA23262.1"
	/translation="MPFVNKQFNYKDPVNGVDIAYIKIPNAGQMOPVKAFKIHNKIWI PERDTFTNP EEGDLNPPPEAKQVPVSYDDSTYLSTDNEKDNLYLKGVTKLFERIYSTDLG RMLLTSIVRGIPFWGGSTIDTELKVIDTNCINVIQPDGSYRSEELNLVIGPSADIIQF ECKSFGHEVLNLTRNGYGSTQYIRFSPDFTFGFEESLEVDTNPLL GAGKFATDPAVTLA HELIHAGHRLYGI AINPNRVFKVNTNAYYEMSGLEVSFEELRTFGGHDAKFIDSLQENE FRLYYYNKFKDIASTLNKAKSIVGTTASLQYMKNVFKEKYLLEDSTSGKFSVDKLFDK LYKMLTEIYTEDNFVKFFKVLNRKTYLNFDDKAVFKINIVPKVNYTIYDGFNLRNTNLAA NFNGQNT EINNMFNFTKLNFTGLFEFYKLLCVRGIITSKTKSLDKGYNKALNDLCIKVN NWDLFFSPSEDNFTNDLNKGEEITSDTNIEAAEENISLDLIQQYYLTFNFDNEPENISI ENLSSDIIGQLELMPNIERFPNGKKYELDKYTMFHYLRAQEFEGHKSRIALTNSVNEAL LNPSRVYTFSSDYVKKVNKATEAAMFLGWVEQLVYDFTDETSEVSTTDKIADITIIIP YIGPALNIGNMLYKDDFVGALIFSGAVILLEFIPEIAIPVLGTFALVSYIANKVLTVQT IDNALS KRNEKWDEVYKYIVTNWLAKVNTQIDLRKKMKEALENQAATKAIINYQYNQ YTEEEKNNINFNIDDLSSKLNESINKAMININKFLNQCSVSYLMNSMIPYGVKRLED FD ASLKDALLKYIYDNRGTLIGQVDR LKDKVNNTLSTDIPFQLSKYVDNQRLSTFTEYIK

```

FT      NIINTSILNLRYESNHLIDLRSYASKINIGSKVNFDPIDKNQIQLFNLESSKIEVILKN
FT      AIVYNSMYENFSTSFWIRIPKYFNSISLNNEYTI INCMENNSGWKVS LNYGEI IWT LQD
FT      TQEIKQRVVFKYSQMINISDYINRWIFVTITNNRLNNSKIYINGRLIDQKPI SNLGNIH
FT      ASNNIMFKLDGCRDTHRYIWIKYFNLFDKELNEKEIKDLYDNQSN SGI LKDFWGDY LQY
FT      DKPYMLNLYPDKNKYVDVNNVGIRGYMYLKGPRGSVMTTNIYLNSSLYRGTKFI IKKYA
FT      SGNKDNIVRNNDRVYINVVVKNKEYRLATNASQAGVEKILSALEIPDVGNLSQVVMKS
FT      KNDQGITNKCKMNLQDNNNDIGFIGFHQFNNAKLVASNWNQRQIERSSRTLGCSEWF
FT      IPVDDGWERPL"
FT      misc feature      4400..4432
FT      /note="potential terminator; putative"
XX
SQ      Sequence 4835 BP; 1934 A; 517 C; 756 G; 1628 T; 0 other;
aagcttcttaa attttaaatta ttaagtataa atccaaataa acaatatgtt caaaaacttg      60
atgaggtaat aatttctgta ttagataata tggaaaaata tatagatata tctgaagata      120
atagattgca actaatagat aacaaaaata acgcaaagaa gatgataatt agtaatgata      180
tattttatttc caattgttta accctatctt ataacggtaa atatatatgt ttatctatga      240
aagatgaaaa ccataattgg atgatatgta ataatgatat gtcaaagtat ttgtatttat      300
ggtcatttaa ataattaata atttaattaa ttttaaatat tataagagggt gttaaatatg      360
ccatttggtta ataaacaatt taattataaa gatcctgtaa atgggtgttg tattgcttat      420
ataaaaaattc caaatgcagg acaaatgcaa ccagtaaaag cttttaaaat tcataataaa      480
atatgggtta ttccagaaag agatacattt acaaatcctg aagaaggaga tttaaatcca      540
ccaccagaag caaaacaagt tccagtttca tattatgatt caacatattt aagtacagat      600
aatgaaaaag ataattattt aaagggagtt acaaaattat ttgagagaat ttattcaact      660
gatcttgga gaatgttggt aacatcaata gtaaggggaa taccattttg ggggtggaagt      720
acaatagata cagaattaaa agttattgat actaattgta ttaatgtgat acaaccagat      780
ggtagtata gatcagaaga acttaatcta gtaataatag gaccctcagc tgatattata      840
cagtttgaat gtaaaagctt tggacatgaa gttttgaatc ttacgcgaaa tggttatggc      900
tctactcaat acattagatt tagcccagat tttacatttg gttttgagga gtcacttgaa      960
gttgatacaa atcctctttt aggtgcaggc aaatttgcta cagatccagc agtaacatta      1020
gcacatgaac ttatacatgc tggacataga ttatatggaa tagcaattaa tccaaatagg      1080
gtttttaaag taaatactaa tgcctattat gaaatgagtg ggttagaagt aagctttgag      1140
gaacttagaa catttggggg acatgatgca aagtttatag atagtttaca ggaaaacgaa      1200
tttcgtctat attattataa taagtttaaa gatatagcaa gtacacttaa taaagctaaa      1260
tcaatagtag gtactactgc ttcattacag tatatgaaaa atgtttttta agagaaatat      1320
ctcctatctg aagatacatc tggaaaattt tcggtagata aattaaaatt tgataagtta      1380
tacaaaatgt taacagagat ttacacagag gataattttg ttaagttttt taaagtactt      1440
aacagaaaaa catatttgaa ttttgataaa gccgtattta agataaatat agtacctaag      1500
gtaaattaca caatatatga tggattttaat ttaagaaata caaatttagc agcaaacttt      1560
aatggtcaaa atacagaaat taataatatg aattttacta aactaaaaaa ttttactgga      1620
ttgtttgaat ttataagtt gctatgtgta agagggataa taacttctaa aactaaatca      1680
ttagataaag gatacaataa ggcattaaat gatttatgta tcaaagttaa taattgggac      1740
ttgtttttta gtccttcaga agataatttt actaatgatc taaataaagg agaagaaatt      1800
acatctgata ctaatataga agcagcagaa gaaaatatta gtttagattt aatacaacaa      1860
tattatttaa cttttaattt tgataatgaa cctgaaaata tttcaataga aaatctttca      1920
agtacatta taggccaatt agaacttatg cctaatatag aaagatttcc taatgaaaaa      1980
aagtatgagt tagataaata tactatgttc cattatcttc gtgctcaaga atttgaacat      2040
ggtaaatcta ggattgcttt aacaaattct gttaacgaag cattattaaa tcctagtcgt      2100
gtttatacat ttttttcttc agactatgta aagaaagtta ataaagctac ggaggcagct      2160
atgtttttag gctgggtaga acaattagta tatgatttta ccgatgaaac tagcgaagta      2220
agtactacgg ataaaattgc ggatataact ataattattc catatatagg acctgcttta      2280
aatataggtata atagtttata taaagatgat ttgtaggtg ctttaatat ttccaggagct      2340
gttattctgt tagaatttat accagagatt gcaatacctg tattaggtac ttttgacatt      2400
gtatcatata ttgcgaataa ggttctaacc gttcaaacaa tagataatgc ttttaagtaa      2460
agaaatgaaa aatgggatga ggtctataaa tatatagtaa caaattgggt agcaaaggtt      2520
aatacacaga ttgatcta atagaaaaaa atgaaagaag ctttagaaaa tcaagcagaa      2580
gcaacaaagg ctataataaa ctatcagtat aatcaatata ctgaggaaga gaaaaataat      2640
attaatttta atattgatga ttttaagttcg aaacttaatg agtctataaa taaagctatg      2700
attaatataa ataaattttt gaatcaatgc tctgtttcat atttaatgaa ttctatgatc      2760
ccttatgggtg ttaaacgggt agaagatttt gatgctagtc ttaaagatgc attattaaag      2820
tatatatatg ataatagagg aactttaatt ggtcaagtag atagattaaa agataaagtt      2880

```

aataatacac	ttagtacaga	tatacctttt	cagctttcca	aatacgtaga	taatcaaaga	2940
ttattatcta	cattttactga	atatattaag	aattattatta	atacttctat	attgaattta	3000
agatatgaaa	gtaatcattt	aatagactta	tctaggtatg	catcaaaaat	aaatattggt	3060
agtaaagtaa	atthttgatcc	aatagataaa	aatcaaattc	aattatttta	tttagaaagt	3120
agtaaaattg	aggtaatttt	aaaaaatgct	attgtatata	atagtatgta	tgaaaatttt	3180
agtactagct	tttgataag	aattcctaag	tattttaaca	gtataagtct	aaataatgaa	3240
tatacaataa	taaattgtat	ggaaaataat	tcaggatgga	aagtatcact	taattatggt	3300
gaaataatct	ggactttaca	ggatactcag	gaaataaaac	aaagagtagt	ttttaaatac	3360
agtcaaatga	ttaatatatc	agattatata	aacagatgga	tttttgtaac	tatcactaat	3420
aatagattaa	ataactctaa	aattttatata	aatggaagat	taatagatca	aaaaccaatt	3480
tcaaatttag	gtaatatcca	tgctagtaat	aatataatgt	ttaaattaga	tggttgtaga	3540
gatacacata	gatatatttg	gataaaatat	tttaattctt	ttgataagga	attaaatgaa	3600
aaagaaatca	aagattttata	tgataatcaa	tcaaattcag	gtatttttaa	agacttttgg	3660
ggtgattatt	tacaatatga	taaaccatac	tatatgttaa	atttatatga	tccaaataaa	3720
tatgtcgtatg	taaataatgt	aggtaattaga	ggttatatgt	atcttaaagg	gcctagaggt	3780
agcgtaatatga	ctacaaacat	ttattttaaat	tcaagtttgt	atagggggac	aaaattttatt	3840
ataaaaaaat	atgcttctg	aaataaagat	aattattgtta	gaaataatga	tcgtgtatat	3900
attaatgtag	tagttaaaaa	taaagaatat	aggtagctat	ctaagtcac	acaggcaggc	3960
gtagaaaaaa	tactaagtgc	attagaaata	cctgatgtag	gaaatctaag	tcaagtagta	4020
gtaatgaagt	caaaaaatga	tcaaggaata	acaaataaat	gcaaaatgaa	tttacaagat	4080
aataatggga	atgatatagg	ctttatagga	tttcatcagt	ttaataatat	agctaaacta	4140
gtagcaagta	attggtataa	tagacaaata	gaaagatcta	gtaggacttt	gggttgctca	4200
tggaatttta	ttcctgtaga	tgatggatgg	ggagaaaggc	cactgtaatt	aatctcaaac	4260
tacatgagtc	tgtcaagaat	tttctgtaaa	catccataaa	aatttttaaa	ttaatatggt	4320
taagaataac	tagatatgag	tattgtttga	actgcccctg	tcaagtagac	aggtaaaaaa	4380
ataaaaaatta	agatactatg	gtctgatttc	gatattctat	cggagtcaga	ccttttaact	4440
tttcttgtat	cctttttgta	ttgtaaaact	ctatgtattc	atcaattgca	agttccaatt	4500
agtcaaaatt	atgaaacttt	ctaagataat	acattttctga	ttttataatt	tcccaaaatc	4560
cttccatagg	accattatca	atacatctac	caactcgaga	catactttga	gttgcgcccta	4620
tctcattaag	tttattcttg	aaagattttac	ttgtatattg	aaaaccgcta	tcactgtgaa	4680
aaagtggact	agcatcagga	ttggaggtaa	ctgctttatc	aaaggtttca	aagacaagga	4740
cgttgttatt	tgattttcca	agtacatagg	aaataatgct	attatcatgc	aaatcaagta	4800
tttactcaa	gtacgccttt	gtttcgtctg	ttaac			4835

//

\*  
Cited in  
1449

<a href="#">ExPASy Home page</a>	<a href="#">Site Map</a>	<a href="#">Search ExPASy</a>	<a href="#">Contact us</a>	<a href="#">SWISS-PROT</a>			
<a href="#">Hosted by NCSC US</a>		<a href="#">Mirror sites:</a>	<a href="#">Canada</a>	<a href="#">China</a>	<a href="#">Korea</a>	<a href="#">Switzerland</a>	<a href="#">Taiwan</a>

# SWISS-PROT: P10845

*NiceProt - a user-friendly view of this SWISS-PROT entry*

ID BXA1\_CLOBO STANDARD; PRT; 1295 AA.  
AC P10845; P18639; P01561;  
DT 01-JUL-1989 (Rel. 11, Created)  
DT 01-JUL-1993 (Rel. 26, Last sequence update)  
DT 15-JUN-2002 (Rel. 41, Last annotation update)  
DE Botulinum neurotoxin type A precursor (EC 3.4.24.69) (BoNT/A)  
DE (Bontoxilysin A) (BOTOX) [Contains: Botulinum neurotoxin A, light-  
DE chain; Botulinum neurotoxin A, heavy-chain].  
GN BOTA OR BNA OR ATX.  
OS Clostridium botulinum.  
OC Bacteria; Firmicutes; Clostridia; Clostridiales; Clostridiaceae;  
OC Clostridium.  
OX NCBI\_TaxID=1491;  
RN [1]  
RP SEQUENCE FROM N.A.  
RC STRAIN=NCTC 2916;  
RX MEDLINE=90235864; PubMed=2185020; [NCBI, ExPASy, EBI, Israel, Japan]  
RA Thompson D.E., Brehm J.K., Oultram J.D., Swinfield T.-J.,  
RA Shone C.C., Atkinson T., Melling J., Minton N.P.;  
RT "The complete amino acid sequence of the Clostridium botulinum type A  
RT neurotoxin, deduced by nucleotide sequence analysis of the encoding  
RT gene.";  
RL Eur. J. Biochem. 189:73-81(1990).  
RN [2]  
RP SEQUENCE FROM N.A.  
RC STRAIN=62A;  
RX MEDLINE=90264400; PubMed=2160960; [NCBI, ExPASy, EBI, Israel, Japan]  
RA Binz B., Kuarzono H., Wille M., Frevent J., Wernars K., Niemann H.;  
RT "The complete sequence of botulinum neurotoxin type A and comparison  
RT with other clostridial neurotoxins.";  
RL J. Biol. Chem. 265:9153-9158(1990).  
RN [3]  
RP SEQUENCE OF 1-65 FROM N.A.  
RC STRAIN=62A;  
RX MEDLINE=97016817; PubMed=8863443; [NCBI, ExPASy, EBI, Israel, Japan]  
RA East A.K., Bhandari M., Stacey J.M., Campbell K.D., Collins M.D.;  
RT "Organization and phylogenetic interrelationships of genes encoding  
RT components of the botulinum toxin complex in proteolytic Clostridium  
RT botulinum types A, B, and F: evidence of chimeric sequences in the  
RT gene encoding the nontoxic nonhemagglutinin component.";  
RL Int. J. Syst. Bacteriol. 46:1105-1112(1996).  
RN [4]  
RP SEQUENCE OF 1-34 FROM N.A.  
RC STRAIN=Hall;  
RX MEDLINE=89350959; PubMed=2669749; [NCBI, ExPASy, EBI, Israel, Japan]  
RA Betley M.J., Somers E., Dasgupta B.R.;  
RT "Characterization of botulinum type A neurotoxin gene: delineation of

RT the N-terminal encoding region.";  
RL Biochem. Biophys. Res. Commun. 162:1388-1395(1989).  
RN [5]  
RP SEQUENCE OF 1-18 FROM N.A.  
RC STRAIN=Type A NIH;  
RX MEDLINE=96096783; PubMed=8521962; [NCBI, ExpASY, EBI, Israel, Japan]  
RA Fujita R., Fujinaga Y., Inoue K., Nakajima H., Kumon H., Oguma K.;  
RT "Molecular characterization of two forms of nontoxic-nonhemagglutinin  
RT components of Clostridium botulinum type A progenitor toxins.";  
RL FEBS Lett. 376:41-44(1995).  
RN [6]  
RP SEQUENCE OF 1-16.  
RX MEDLINE=84178501; PubMed=6370252; [NCBI, ExpASY, EBI, Israel, Japan]  
RA Schmidt J.J., Sartymoorthy V., Dasgupta B.R.;  
RT "Partial amino acid sequence of the heavy and light chains of  
RT botulinum neurotoxin type A.";  
RL Biochem. Biophys. Res. Commun. 119:900-904(1984).  
RN [7]  
RP SEQUENCE OF 1-46.  
RA Dasgupta B.R., Foley J., Niece R.;  
RT "Partial sequence of the light chain of botulinum neurotoxin type A.";  
RL Biochemistry 26:4162-4162(1987).  
RN [8]  
RP SEQUENCE OF 1-5 AND 444-456.  
RX MEDLINE=91120847; PubMed=2126206; [NCBI, ExpASY, EBI, Israel, Japan]  
RA Dasgupta B.R., Dekleva M.L.;  
RT "Botulinum neurotoxin type A: sequence of amino acids at the  
RT N-terminus and around the nicking site.";  
RL Biochimie 72:661-664(1990).  
RN [9]  
RP SEQUENCE OF 448-464 AND 872-895.  
RX MEDLINE=89024662; PubMed=3178218; [NCBI, ExpASY, EBI, Israel, Japan]  
RA Sathymoorthy V., Dasgupta B.R., Foley J., Niece R.L.;  
RT "Botulinum neurotoxin type A: cleavage of the heavy chain into two  
RT halves and their partial sequences.";  
RL Arch. Biochem. Biophys. 266:142-151(1988).  
RN [10]  
RP SEQUENCE OF 448-482.  
RX MEDLINE=85285016; PubMed=3896784; [NCBI, ExpASY, EBI, Israel, Japan]  
RA Shone C.C., Hambleton P., Melling J.;  
RT "Inactivation of Clostridium botulinum type A neurotoxin by trypsin  
RT and purification of two tryptic fragments. Proteolytic action near  
RT the COOH-terminus of the heavy subunit destroys toxin-binding  
RT activity.";  
RL Eur. J. Biochem. 151:75-82(1985).  
RN [11]  
RP IDENTIFICATION OF SUBSTRATE.  
RX MEDLINE=94063091; PubMed=8243676; [NCBI, ExpASY, EBI, Israel, Japan]  
RA Schiavo G., Santtuci A., Dasgupta B.R., Mehta P.P., Jontes J.,  
RA Benfenati F., Wilson M.C., Montecucco C.;  
RT "Botulinum neurotoxins serotypes A and E cleave SNAP-25 at distinct  
RT COOH-terminal peptide bonds.";  
RL FEBS Lett. 335:99-103(1993).  
RN [12]  
RP IDENTIFICATION OF SUBSTRATE.  
RX MEDLINE=94124495; PubMed=8294407; [NCBI, ExpASY, EBI, Israel, Japan]  
RA Binz T., Blasi J., Yamasaki S., Baumeister A., Link E., Suedhof T.C.,  
RA Jahn R., Niemann H.;  
RT "Proteolysis of SNAP-25 by types E and A botulinal neurotoxins.";  
RL J. Biol. Chem. 269:1617-1620(1994).

RN [13]  
 RP MUTAGENESIS OF GLU-261; PHE-265 AND TYR-365.  
 RX MEDLINE=21556941; PubMed=11700044; [NCBI, ExpASY, EBI, Israel, Japan]  
 RA Rigoni M., Caccin P., Johnson E.A., Montecucco C., Rossetto O.;  
 RT "Site-directed mutagenesis identifies active-site residues of the  
 RT light chain of botulinum neurotoxin type a."  
 RL Biochem. Biophys. Res. Commun. 288:1231-1237(2001).

RN [14]  
 RP X-RAY CRYSTALLOGRAPHY (3.3 ANGSTROMS).  
 RX MEDLINE=98455071; PubMed=9783750; [NCBI, ExpASY, EBI, Israel, Japan]  
 RA Lacy D.B., Tepp W., Cohen A.C., Dasgupta B.R., Stevens R.C.;  
 RT "Crystal structure of botulinum neurotoxin type A and implications  
 RT for toxicity."  
 RL Nat. Struct. Biol. 5:898-902(1998).  
 CC -!- FUNCTION: Inhibits acetylcholine release. The botulinum toxin  
 CC binds with high affinity to peripheral neuronal presynaptic  
 CC membrane, is then internalized by receptor-mediated endocytosis.  
 CC The C-terminus of the heavy chain (H) is responsible for the  
 CC adherence of the toxin to the cell surface while the N-terminus  
 CC mediates transport of the light chain from the endocytic vesicle  
 CC to the cytosol. After translocation, the light chain (L)  
 CC hydrolyzes the 197-Gln-|-Arg-198 bond in SNAP-25, thereby blocking  
 CC neurotransmitter release. Inhibition of acetylcholine release  
 CC results in flaccid paralysis, with frequent heart or respiratory  
 CC failure.  
 CC -!- CATALYTIC ACTIVITY: Limited hydrolysis of proteins of the  
 CC neuroexocytosis apparatus, synaptobrevins, SNAP25 or syntaxin. No  
 CC detected action on small molecule substrates.  
 CC -!- SUBUNIT: Disulfide-linked heterodimer of a light chain (L) and a  
 CC heavy chain (H).  
 CC -!- SUBCELLULAR LOCATION: Secreted.  
 CC -!- PHARMACEUTICAL: Available under the name BOTOX (Allergan) for  
 CC the treatment of strabismus and blepharospasm associated with  
 CC dystonia and cervical dystonia. Also used for the treatment of  
 CC hemifacial spasm and a number of other neurological disorders  
 CC characterized by abnormal muscle contraction.  
 CC -!- MISCELLANEOUS: There are seven antigenically distinct forms of  
 CC botulinum neurotoxin: Types A, B, C1, D, E, F, and G.  
 CC -!- SIMILARITY: BELONGS TO PEPTIDASE FAMILY M27.  
 CC -!- DATABASE: NAME=BOTOX product information Web site;  
 CC WWW="<http://www.botox.com/index.jsp?hp&productinfo>".  
 CC -!- DATABASE: NAME=Protein Spotlight;  
 CC NOTE=Issue 19 of February 2002;  
 CC WWW="<http://www.expasy.org/spotlight/articles/sptlt019.html>".

-----  
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration  
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -  
 CC the European Bioinformatics Institute. There are no restrictions on its  
 CC use by non-profit institutions as long as its content is in no way  
 CC modified and this statement is not removed. Usage by and for commercial  
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>  
 CC or send an email to [license@isb-sib.ch](mailto:license@isb-sib.ch)).  
 CC -----

DR EMBL; X52066; CAA36289.1; -. [EMBL / GenBank / DDBJ] [CoDingSequence]  
 DR EMBL; M30196; AAA23262.1; -. [EMBL / GenBank / DDBJ] [CoDingSequence]  
 DR EMBL; X92973; CAA63551.1; -. [EMBL / GenBank / DDBJ] [CoDingSequence]  
 DR EMBL; D67030; BAA11051.1; -. [EMBL / GenBank / DDBJ] [CoDingSequence]  
 DR EMBL; M27892; AAA23269.1; -. [EMBL / GenBank / DDBJ] [CoDingSequence]  
 DR PIR; A35294; BTCLAB.  
 DR PIR; S09492; S09492.



DR PDB; 3BTA; 01-OCT-99. [ExpASY / RCSB]  
 DR MEROPS; M27.002; -.  
 DR InterPro; IPR000395; Bontoxilysin.  
 DR InterPro; IPR000130; Zn MTpeptdse.  
 DR InterPro; Graphical view of domain structure.  
 DR Pfam; PF01742; Peptidase M27; 1.  
 DR PRINTS; PR00760; BONTOXILYSIN.  
 DR ProDom; PD001963; Bontoxilysin; 1.  
 DR ProDom [Domain structure / List of seq. sharing at least 1 domain]  
 DR PROSITE; PS00142; ZINC\_PROTEASE; 1.  
 DR BLOCKS; P10845.  
 DR ProtoNet; P10845.  
 DR ProtoMap; P10845.  
 DR PRESAGE; P10845.  
 DR DIP; P10845.  
 DR ModBase; P10845.  
 DR SWISS-2DPAGE; GET REGION ON 2D PAGE.  
 KW Neurotoxin; Transmembrane; Hydrolase; Metalloprotease; Zinc;  
 KW Pharmaceutical; 3D-structure.  
 FT INIT\_MET 0 0  
 FT CHAIN 1 447 BOTULINUM NEUROTOXIN A, LIGHT-CHAIN.  
 FT CHAIN 448 1295 BOTULINUM NEUROTOXIN A, HEAVY-CHAIN.  
 FT METAL 222 222 ZINC (CATALYTIC).  
 FT ACT\_SITE 223 223  
 FT METAL 226 226 ZINC (CATALYTIC).  
 FT METAL 261 261 ZINC (CATALYTIC).  
 FT DISULFID 429 453 INTERCHAIN.  
 FT DISULFID 1234 1279  
 FT TRANSMEM 626 646 POTENTIAL.  
 FT TRANSMEM 655 675 POTENTIAL.  
 FT VARIANT 26 26 V -> A.  
 FT MUTAGEN 261 261 E->A: DRASTIC DECREASE IN ENZYMATI  
 FT ACTIVITY.  
 FT MUTAGEN 265 265 F->A: DECREASE IN ENZYMATI  
 FT ACTIVITY.  
 FT MUTAGEN 365 365 Y->A: DECREASE IN ENZYMATI  
 FT ACTIVITY.  
 FT CONFLICT 1 1 P -> Q (IN REF. 1).  
 FT CONFLICT 479 479 E -> P (IN REF. 9).  
 FT CONFLICT 875 875 T -> L (IN REF. 8).  
 FT CONFLICT 891 891 S -> K (IN REF. 8).  
 SQ SEQUENCE 1295 AA; 149322 MW; 858342F754862579 CRC64;  
 PFVFNKQFNKYK DPNVNGVDIAY IKIPNVGQMQ PVKAFKIHNK IWVIPERDTF TNPEEGDLNP  
 PPEAKQVPVS YYDSTYLSTD NEKDNYLKGV TKLFERIYST DLGRMLLTSI VRGIPFWGGS  
 TIDTELKVID TNCINVIQPD GSYRSEELNL VIIGPSADII QFECKSFGHE VLNLTRNGYG  
 STQYIRFSPD FTFGFEESE VDTNPLLGA K FATDPAVTL AHELHAGHR LYGIAINPNR  
 VFKNVTNAYY EMSGLEVSFE ELRTFGGHDA KFIDSLQENE FRLYYYNKF K DIAS TLN KAK  
 SIVGTTASLQ YMKNVFKEKY LLS EDTSGKF SVDKLFKFDKL YKMLTEIYTE DNFVKFFKVL  
 NRKTYLNF DK AVFKINIVPK VNYTIYDGFN LRNTNLAA NF NGQNT E INNM NFKLKNFTG  
 LFEFYKLLCV RGIITSKTKS LDKGYNKALN DLCKVNNWD LFFSPSEDNF TNDLNKGEEI  
 TSDTNIEAAE ENISLDLIQQ YYLTFNFDNE PENISIENLS SDIIGQLELM PNIERFPNGK  
 KYELDKYTMF HYLRAQEFH GKSRIALTNS VNEALLNPSR VYTFSSDYV KKV NKATEAA  
 MFLGWVEQLV YDFTDETSEV STTDKIADIT IIPYIGPAL NIGNMLYKDD FVGALIFSGA  
 VILLEFIPEI AIPVLGTFAL VSYIANKVLT VQTIDNALS K RNEKWDEVYK YIVTNWLAKV  
 NTQIDLIRKK MKEALENQAE ATKAIINYQY NQYTEEEKNN INFNIDDLSS KLNESINKAM  
 ININKFLNQC SVSYLMNSMI PYGVRLEDF DASLKDALLK YIYDNRGT LI GQVDR LKDKV  
 NNTLSTDIPF QLSKYVDNQR LLSTFTEYIK NIINTSILNL RYESNHLIDL SRYASKINIG  
 SKVNFDPIDK NQIQLFNLES SKIEVILKNA IVYNSMYENF STSFWIRIPK YFNSISLNNE  
 YTIINCME NN SGWKVSLNYG EIIWTLQDTQ EIKQRVVFYK SQMINISDYI NRWIFVTITN  
 NRLNNSKIYI NGR LIDQKPI SNLGNHASN NIMFKLDGCR DTHRYIWI KY FNLFDKELNE  
 KEIKDLYDNQ SNSGILKDFW GDYLQYDKPY YMLNLYDPNK YVDVNNVGIR GMYLKGPRG  
 SVMTTNIYLN SSLYRGTKFI IKKYASGNKD NIVRNNDRVY INV VVK NKEY RLATNASQAG

VEKILSALEI PDVGNLSQVV VMKSKNDQGI TNKCKMNLQD NNGNDIGFIG FHQFNNTAKL  
VASNWNRYQI ERSSRTLGCW WEFIPVDDGW GERPL

//

*P10845 in FASTA format*

*NiceProt - a user-friendly view of this SWISS-PROT entry*

*View entry in raw text format (no links)*

*Report form for errors/updates in this SWISS-PROT entry*



Direct BLAST submission at  
EMBnet-CH/SIB (Switzerland)




Direct BLAST submission at NCBI (Bethesda, USA)



ScanProsite, MotifScan



Tools Sequence analysis tools: ProtParam, ProtScale,  
Compute pI/Mw, PeptideMass, PeptideCutter,  
Dotlet (Java)



Feature table viewer (Java)



Search the SWISS-MODEL Repository

[ExPASy Home page](#)

[Site Map](#)

[Search ExPASy](#)

[Contact us](#)

[SWISS-PROT](#)

[Hosted by NCSC US](#)

[Mirror sites:](#)

[Canada](#)

[China](#)

[Korea](#)

[Switzerland](#)

[Taiwan](#)